EXHAUSTS STEMS HARLEY-DAVIDSON® MODELS











Bassani Exhaust Systems The Sound of Power

KPR Industries Australia maintains stock for systems shown in this catalogue. Other systems shown on Bassani and KPR websites are "special order" and are subject to availability and shipping times please contact us for more information **sales@kpr-ind.com.au** (07) 3162 0077

For warranty information see page 52

Harley-Davidson[®] motorcycle model designations are utilized in this catalogue for reference only







M8 Softail Models

Road Rage III - Stainless Steel 2 into 1	2
Road Rage II - 2 into 1	
Pro Street	
Radial Sweeper	
2 Into 2 Staggered Dual Exhaust	
True Dual System With Fishtail Mufflers	
Evo Softail & Twin Cam Models	
Road Rage 2 into 1	
Pro Street	
Firesweep	
Radial Sweeper	
True Duals With Fishtail Mufflers	
Dyna Models	
Road Rage 2 into 1	29
Road Rage II Mega Power 2 into 1	
Road Rage II B1 Power 2 into 1	
Road Rage III Stainless Steel 2 into 1	32
Firesweep	
Radial Sweeper	
Bagger & Road King Models	
Road Rage II B4 2 into 1	
2 X 2 Dual Headpipes	
DNT Mufflers	
Mufflers	
FXR Models	
Road Rage III Stainless Steel 2 into 1	43
Road Rage 2 into 1	44
Sportster	
Road Rage II Mega Power 2 into 1	
Road Rage III Stainless Steel 2 into 1	47
Radial Sweeper	47
Mufflers	
V-Rod	
Road Rage II B1 Power 2 into 1	49
Mufflers	
Street 500/750	
Mufflers	
End Caps and Accessories	51

ROAD RAGE III STAINLESS STEEL



1800-2238 (1S62SS) (304 Stainless Steel) Suits 18-UP FXDR Note: limited ground clearance for 18-UP FXBR/FXBRS, FLFB/FLFBS

- 2-into-1 stepped equal-length headers 1^{3/4"} to 1^{7/8"} designed for maximum performance
- Utilizes an advanced inner collector for maximum performance
- Constructed of stainless steel

SPLIT HEADER STYLE FOR MORE CLEARANCE



1800-2359 (1S94SS) (304 Stainless Steel) Suits 18-UP FXDR, FXBR/FXBRS, FLFB/FLFBS

- Constructed of stainless steel

• 18mm O2 ports with 12mm adapters and plugs included • Megaphone-style muffler with removable baffle and brushed billet end cap

L2 INTO 1

18mm O2 ports with 12mm adapters and plugs included
Megaphone-style muffler with removable baffle and brushed billet end cap

2-into-1 stepped equal-length headers 1^{3/4"} to 1^{7/8"} designed for maximum performance
Utilizes an advanced inner collector for maximum performance





ROAD RAGE III STAINLESS STEEL 2 INTO 1

SPLIT HEADER STYLE FOR MORE CLEARANCE



1800-2365 (1S81SS) (304 Stainless Steel) Suits 18-UP FLSB Models

- 2-into-1 stepped equal-length headers 1^{3/4"} to 1^{7/8"} designed for maximum performance
- Utilizes an advanced inner collector for maximum performance
- Constructed of stainless steel

SPLIT HEADER STYLE FOR MORE CLEARANCE



1800-2243 (1S72SS) (304 Stainless Steel) Suits 18-UP FXBB, FXFB/FXFBS, FXLR, FLSL

- Constructed of stainless steel

• 18mm O2 ports with 12mm adapters and plugs included • Megaphone-style muffler with removable baffle and brushed billet end cap

18mm O2 ports with 12mm adapters and plugs included
Megaphone-style muffler with removable baffle and brushed billet end cap

2-into-1 stepped equal-length headers 1^{3/4"} to 1^{7/8"} designed for maximum performance
Utilizes an advanced inner collector for maximum performance



ROAD RAGE III STAINLESS STEEL 2 INTO 1



1800-2362 (1S92SS) (304 Stainless Steel) Suits 18-UP FXFB, FLSL

- 2-into-1 stepped equal-length headers 1^{3/4"} to 1^{7/8"} designed for maximum performance
 Utilizes an advanced inner collector for maximum performance
- Constructed of stainless steel
- 18mm O2 ports with 12mm adapters and plugs included
 Megaphone-style muffler with removable baffle and brushed billet end cap



1800-2431 (1S50SS) (304 Stainless Steel) Suits 18-UP FXBB, FXLR, FLSL, FXFB

- 2-into-1 equal-length headers
- Stepped $1^{3/4^{"}}$ to $1^{7/8^{"}}$ headpipes
- Utilizes an advanced inner collector for maximum performance
- Stainless steel construction Partial stainless steel heat shields
- Hand TIG welding 18mm O2 bungs with 12mm adapters
 Megaphone muffler Limited edition 50th anniversary badging on muffler



(5)

ROAD RAGE II 2 INTO 1



1800-2239 (1S62RB) (Black Ceramic Finish) Suits 18-UP FXDR Note: limited ground clearance for 18-UP FXBR/FXBRS, FLFB/FLFBS

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap Includes mounting hardware
- Short (15^{1/2"}) muffler lengths with black finish
- Heat shields included Includes 12mm and 18mm O2 port plugs



1800-2240 (1S62R) (Show Quality Chrome Finish) Suits 18-UP FXDR Note: limited ground clearance for 18-UP FXBR/FXBRS, FLFB/FLFBS

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap Includes mounting hardware
- Short (15^{1/2"}) muffler lengths with chrome finish
- Heat shields included Includes 12mm and 18mm O2 port plugs



 $\overline{(7)}$

ROAD RAGE II 2 INTO 1



1800-2245 (1S72RB) (Black Ceramic Finish) Suits 18-UP FXBB, FXLR, FLSL, FXFB

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap Includes mounting hardware
- Short (15^{1/2"}) muffler lengths with black finish
- Heat shields included Includes 12mm and 18mm O2 port plugs



1800-2269 (1S72R) (Show Quality Chrome Finish) Suits 18-UP FXBB, FXLR, FLSL, FXFB

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap Includes mounting hardware
- Short (15^{1/2"}) muffler lengths with chrome finish
- Heat shields included Includes 12mm and 18mm O2 port plugs

SPLIT HEADER STYLE FOR MORE CLEARANCE



1800-2363 (1S81R) (Show Quality Chrome Finish) Suits 18-UP FLSB

- Stepped headers merge into a true reverse-cone megaphone muffler
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap Includes mounting hardware
- Short (15^{1/2"}) muffler lengths with chrome finish
- Heat shields included Includes 12mm and 18mm O2 port plugs

SPLIT HEADER STYLE FOR MORE CLEARANCE



1800-2364 (1S81RB) (Black Ceramic Finish) Suits 18-UP FLSB

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap Includes mounting hardware
- Short (15^{1/2"}) muffler lengths with black finish
- Heat shields included Includes 12mm and 18mm O2 port plugs

• 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance



ROAD RAGE II 2 INTO 1

ROAD RAGE II 2 INTO 1



1800-2308 (1S91R) (Show Quality Chrome Finish) Suits 18-UP FLHC, FLDE, FLSB

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap Include mounting hardware
- Long (24") muffler lengths with chrome finish
- Heat shields included Includes 12mm and 18mm O2 port plugs





1800-2357 (1S94R) (Show Quality Chrome Finish) Suits 18-UP FXBR, FLFB

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap Include mounting hardware
- Short (15^{1/2"}) muffler lengths with chrome finish
- Heat shields included Includes 12mm and 18mm O2 port plugs



1800-2309 (1S91RB) (Black Ceramic Finish) Suits 18-UP FLHC, FLDE, FLSB

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap Include mounting hardware
- Long (24") muffler lengths with black finish
- Heat shields included Includes 12mm and 18mm O2 port plugs

SPLIT HEADER STYLE FOR MORE CLEARANCE



1800-2358 (1S94RB) (Black Ceramic Finish) Suits 18-UP FXBR, FLFB

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap Include mounting hardware
- Short (15^{1/2"}) muffler lengths with black finish
- Heat shields included Includes 12mm and 18mm O2 port plugs

(11)



PRO STREET





1800-2278 (1S34D) Turn Out (Show Quality Chrome Finish) Suits 18-UP FXDR, FLFB, FXBR

- 16-gauge steel construction
- $1^{3/4"}$ headpipes step to 2", then flow into $2^{1/2"}$ muffler, increasing flow and improving performance
- Increases low-end torque and produces a deep, throaty exhaust note
- Heat shields, mounting brackets and hardware included
- Includes O2 sensor plugs for pre-07 applications



1800-2432 (1S35D) (Show Quality Chrome Finish) Suits 18-UP FXLR, FXBB, FXFB, FLSL

- Feature 16-gauge steel construction throughout • 1 $^{3/4^{\circ}}$ headpipes step to 2", then flow into 2 $^{1/2^{\circ}}$ muffler bodies
- for increased flow and improved performance
- Designed to increase low-end torque and produce a deep, throaty exhaust note
- Includes heat shields, mounting brackets, hardware and O2 ports and plugs



1800-2279 (1S34DB) Turn Out (Black Ceramic Finish) Suits 18-UP FXDR, FLFB, FXBR

- 16-gauge steel construction
- $1^{3/4"}$ headpipes step to 2", then flow into $2^{1/2"}$ muffler, increasing flow and improving performance
- Increases low-end torgue and produces a deep, throaty exhaust note
- Heat shields, mounting brackets and hardware included
- Includes O2 sensor plugs for pre-07 applications



1800-2433 (1S35DB) (Black Ceramic Finish) Suits 18-UP FXLR, FXBB, FXFB, FLSL

- Feature 16-gauge steel construction throughout
- $1^{3/4"}$ headpipes step to 2", then flow into $2^{1/2"}$ muffler bodies
- for increased flow and improved performance
- Designed to increase low-end torque and produce a deep, throaty exhaust note
- Includes heat shields, mounting brackets, hardware and O2 ports and plugs





RADIAL SWEEPER



MULTI FIT



1800-2242 (1S21FB) (Black With Black Heat Shields) Suits 18-UP FXFB, FLFB, FXBR, FXBB, FLSL, FXDR, FLHC, FLDE

- Stepped 1^{3/4}" to 2" headpipes
- 16-gauge steel construction
- O2 sensor port plugs included for nonsensor applications
- Full coverage heat shields



1800-2280 (1S93S) (Show Quality Chrome Finish) Suits 18-UP FLHC, FLDE

- 1^{3/4"} headpipes flow into 2^{1/2"} mufflers, increasing flow and improving performance
- 16-gauge steel construction
- Increases low-end torgue and produces deep, throaty exhaust note
- Heat shields, mounting brackets and hardware included
- Includes O2 sensor ports and plugs



1800-2244 (1S21F) (Chrome With Chrome Heat Shields) Suits 18-UP FXFB, FLFB, FXBR, FXBB, FLSL, FXDR, FLHC, FLDE

- Stepped 1^{3/4}" to 2" headpipes
- 16-gauge steel construction
- O2 sensor port plugs included for non-
- sensor applications

1800-2246 (1S22FB)

• Full coverage heat shields



FLSL, FXDR, FLHC, FLDE • Stepped 1^{3/4}" to 2" headpipes • 16-gauge steel construction • O2 sensor port plugs included for nonsensor applications • Full coverage heat shields

(Black with Slotted Heat Shields)

Suits 18-UP FXFB,FLFB,FXBR,FXBB,

1800-2281 (1S93SB) (Black Ceramic Finish) Suits 18-UP FLHC, FLDE

- 1^{3/4"} headpipes flow into 2^{1/2"} mufflers, increasing flow and improving performance
- 16-gauge steel construction
- Increases low-end torque and produces deep, throaty exhaust note
- Heat shields, mounting brackets and hardware included
- Includes O2 sensor ports and plugs

(15)



TRUE DUAL SYSTEM with FISHTAIL MUFFLERS

TRUE DUAL SYSTEM with FISHTAIL MUFFLERS



1800-2376 (1S96E-33) 33" (Show Quality Chrome Finish) Suits 18-UP FLHC, FLDE

- Gives your bike a unique performance and sound
- Equal-length headpipes to maximize performance
- Feature 1^{3/4}" headpipes that flow into 2^{1/4}" fishtail mufflers
- Chrome heat shields cover headers





1800-2377 (1S96E-36) 36" (Show Quality Chrome Finish) Suits 18-UP FLHC, FLDE

- Gives your bike a unique performance and sound
- Equal-length headpipes to maximize performance
- Feature 1^{3/4}" headpipes that flow into 2^{1/4}" fishtail mufflers
- Chrome heat shields cover headers





1800-2378 (1S96E-39) 39" (Show Quality Chrome Finish) Suits 18-UP FLHC, FLDE

- Gives your bike a unique performance and sound
- Equal-length headpipes to maximize performance
- Feature $1^{3/4"}$ headpipes that flow into $2^{1/4"}$ fishtail mufflers
- Chrome heat shields cover headers



1800-2410 (1S96EB-33) 33" (Black Ceramic Finish) Suits 18-UP FLHC, FLDE

- Gives your bike a unique performance and sound
- Equal-length headpipes to maximize performance
- Feature 1^{3/4}" headpipes that flow into 2^{1/4}" fishtail mufflers
- Black ceramic-coated heat shields cover headers

1800-2411 (1S96EB-36) 36" (Black Ceramic Finish) Suits 18-UP FLHC, FLDE

- Gives your bike a unique performance and sound
- Equal-length headpipes to maximize performance
- Feature $1^{3/4"}$ headpipes that flow into $2^{1/4"}$ fishtail mufflers
- Black ceramic-coated heat shields cover headers

1800-2412 (1S96EB-39) 39" (Black Ceramic Finish) Suits 18-UP FLHC, FLDE

- Gives your bike a unique performance and sound
- Equal-length headpipes to maximize performance
- Feature 1^{3/4"} headpipes that flow into 2^{1/4"} fishtail mufflers
- Black ceramic-coated heat shields cover headers

(18)





1800-1299 (12112]) Suits 1986-17 FXST/FLST Models (Show Quality Chrome Finish)

- Stepped headers merge into a true reverse-cone megaphone muffler
- 4" muffler body with billet end cap
- Removable spiral-core louvered baffle included
- Includes mounting hardware
- Short (21") muffler lengths with chrome finish
- Heat shields included





1800-1300 (12122]) Suits 1986-17 FXST/FLST Models (Black Ceramic Finish)

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- 4" muffler body with billet end cap
- Removable spiral-core louvered baffle included
- Includes mounting hardware
- Short (21") muffler lengths with black finish
- Heat shields included



• 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance

• Includes O2 sensor port plugs *12-up models require O2 sensor port 18mm to 12mm adaptors #1861-0784

• Includes O2 sensor port plugs *12-up models require O2 sensor port 18mm to 12mm adaptors #1861-0784



ROAD RAGE 2 INTO 1



1800-1592 (1S32R) (Show Quality Chrome Finish) Suits 13-17 FXSB/FXSE, 08-11 FXCW/C, 09 FXSTSSE Models

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap
- Include mounting hardware
- Short (21") muffler lengths with chrome finish
- Heat shields included
- Includes 12mm and 18mm O2 port plugs

BREAKOUT[®]



1800-1600 (1S33D) (Show Quality Chrome Finish) Suits 13-17 FXSB/FXSE, 08-11 FXCW/C

- 16-gauge steel construction
- Increases low-end torgue and produces a deep, throaty exhaust note
- Heat shields, mounting brackets and hardware included with chrome finish
- Includes O2 sensor plugs for pre-07 applications



1800-1593 (1S32R) (Black Ceramic Finish) Suits 13-17 FXSB/FXSE, 08-11 FXCW/C, 09 FXSTSSE Models

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- Removable spiral-core louvered baffle included
- 4" muffler body with billet end cap
- Include mounting hardware
- Short (21") muffler lengths with black finish
- Heat shields included
- Includes 12mm and 18mm O2 port plugs

BREAKOUT[®]



1800-1601 (1S33DB) (Black Ceramic Finish) Suits 13-17 FXSB/FXSE, 08-11 FXCW/C

- 16-gauge steel construction
- 1^{3/4"} headpipes step to 2", then flow into 2^{1/2"} muffler, increasing flow and improving performance
- Increases low-end torgue and produces a deep, throaty exhaust note
- Heat shields, mounting brackets and hardware included with black finish
- Includes O2 sensor plugs for pre-07 applications

• 1^{3/4"} headpipes step to 2", then flow into 2^{1/2"} muffler, increasing flow and improving performance



FIRESWEEP



1800-1154 (12113D) (Show Quality Chrome Finish) Suits 86-17 FXST/FLST Models

- Features 16-gauge steel construction throughout
- $1^{3/4"}$ headpipes with $2^{1/2"}$ muffler bodies with chrome finish
- Includes mounting bracket and hardware
- Heat shields and baffles included (not removable on FireSweep style)
- O2 sensor port plugs included



1800-1611 (1SD1F) (Chrome With Chrome Heat Shields) Suits 86-17 FXS/FXST/FXSB/FLS/FLST, 13-17 FXSB/FXSE, 07-11 FXCW/C Models

- Performance stepped headers with radial rear section
- Fabricated from 16-gauge double-wall steel
- Direct bolt-on design for easy installation
- O2 sensor ports and plugs for non-sensor applications included



1800-1158 (12123D) (Black Ceramic Finish) Suits 86-17 FXST/FLST Models

- Features 16-gauge steel construction throughout
- $1^{3/4"}$ headpipes with $2^{1/2"}$ muffler bodies with black finish
- Includes mounting bracket and hardware
- Heat shields and baffles included (not removable on FireSweep style)
- O2 sensor port plugs included



1800-1612 (1SD1FB) (Black With Black Heat Shields) Suits 86-17 FXS/FXST/FXSB/FLS/FLST, 13-17 FXSB/FXSE, 07-11 FXCW/C Models

- Performance stepped headers with radial rear section
- Fabricated from 16-gauge double-wall steel
- Direct bolt-on design for easy installation
- O2 sensor ports and plugs for non-sensor applications included





RADIAL SWEEPER



1800-1613 (1SD2F) (Black With Chrome Slotted Heat Shields) Suits 86-17 FXS/FXST/FXSB/FLS/FLST, 13-17 FXSB/FXSE,

07-11 FXCW/C Models

- Performance stepped headers with radial rear section
 - Fabricated from 16-gauge double-wall steelDirect bolt-on design for easy installation
- O2 sensor ports and plugs for non-sensor applications included



1800-1614 (1SD2FB) (Chrome With Black Slotted Heat Shields) Suits 86-17 FXS/FXST/FXSB/FLS/FLST, 13-17 FXSB/FXSE,

07-11 FXCW/C Models

- Performance stepped headers with radial rear section
- Fabricated from 16-gauge double-wall steel
- Direct bolt-on design for easy installation
- O2 sensor ports and plugs for non-sensor applications included



1800-1652 (1SD2FBB) (Black With Black Slotted Heat Shields) Suits 86-17 FXS/FXST/FXSB/FLS/FLST, 13-17 FXSB/FXSE, 07-11 FXCW/C Models

- Performance stepped headers with radial rear section

- Fabricated from 16-gauge double-wall steel
 Direct bolt-on design for easy installation
 O2 sensor ports and plugs for non-sensor applications included





(25)

Professional Stunt Rider: Josh James

TRUE DUAL SYSTEM with FISHTAIL MUFFLERS

TRUE DUAL SYSTEM with FISHTAIL MUFFLERS



1800-1742 (1S56E-30) 30" (Show Quality Chrome Finish) Suits 89-17 Softail Models

- Gives your bike a unique performance and sound
- Equal-length headpipes to maximize performance
- Feature $1^{3/4"}$ headpipes that flow into $2^{1/4"}$ fishtail mufflers
- Chrome heat shields cover headers



1800-1744 (1S56E-36) 36" (Show Quality Chrome Finish) Suits 89-17 Softail Models

- Gives your bike a unique performance and sound
- Equal-length headpipes to maximize performance
- Feature $1^{3/4"}$ headpipes that flow into $2^{1/4"}$ fishtail mufflers
- Chrome heat shields cover headers



1800-1743 (1S56E-33) 33" (Show Quality Chrome Finish) Suits 89-17 Softail Models

- Gives your bike a unique performance and sound
- Equal-length headpipes to maximize performance
- Feature $1^{3/4"}$ headpipes that flow into $2^{1/4"}$ fishtail mufflers
- Chrome heat shields cover headers



1800-2333 (1S26E-39) 39" (Show Quality Chrome Finish) Suits 89-17 Softail Models (NO BAFFLES)

- Gives your bike a unique performance and sound
- Equal-length headpipes to maximize performance
- Feature 1^{3/4"} headpipes that flow into 1^{7/8"} fishtail mufflers
- Chrome heat shields cover headers

(27)



Bassani Exhaust Systems for Evo Softail & Twin Cam Models

ROAD RAGE 2 INTO 1



1860-0662 (BESMR) Optional Contrast End Cap.



1800-1280 (13112J) (Show Quality Chrome Finish) Suits 06-17 FXD/FXDWG Models with Forward or Mid Controls

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4} headpipe steps up to 1^{7/8} into the collector to increase flow and improve performance
- 4" muffler body with billet end cap
- Removable spiral-core louvered baffle included
- Include mounting hardware
- Short (12") muffler lengths with chrome finish
- Heat shields included



1800-1281 (13122]) (Black Ceramic Finish) Suits 06-17 FXD/FXDWG Models with Forward or Mid Controls

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- 4" muffler body with billet end cap
- Removable spiral-core louvered baffle included
- Include mounting hardware
- Short (12") muffler lengths with black finish
- Heat shields included

ROAD RAGE II MEGA POWER 2 INTO 1

DESIGNED SPECIFICALLY FOR TUNED MOTORS **BUILT FOR 120+ HIGH-HORSEPOWER APPLICATIONS**



1800-2171 (1D32R) (Show Quality Chrome Finish) Suits 91-17 FXD/FXDWG Models with Forward Controls 06-17 FXD/FXDWG Models with Mid Controls

- Feature equal-length 1^{3/4"}-1^{7/8"} stepped headpipes in a chrome finish
- Tapered megaphone style muffler body with 4" black billet end cap with contrasting machined flutes
- Includes full-coverage heat shields
- O2 sensor ports and plugs included
- Includes removable baffle



1800-2170 (1D32RB) (Black Ceramic Finish) Suits 91-17 FXD/FXDWG Models with Forward Controls 06-17 FXD/FXDWG Models with Mid Controls

- Feature equal-length 1^{3/4"}-1^{7/8"} stepped headpipes in a black finish
- Tapered megaphone style muffler body with 4" black billet end cap with contrasting machined flutes
- Includes full-coverage heat shields
- O2 sensor ports and plugs included
- Includes removable baffle

(29)



(30)

ROAD RAGE II B1 POWER 2 INTO 1



1800-1302 (1D18R) (Show Quality Chrome Finish) Suits 91-17 FXD/FXDWG Models with Forward Controls 06-17 FXD/FXDWG Models with Mid Controls

- Use a unique extended inner collector to maximize performance
- 4" straight-style performance muffler body with $2^{1/2^{"}} \times 16^{1/2^{"}}$ baffle and black billet end cap with contrasting machined flutes
- Includes full-coverage chrome heat shields
- O2 sensor port plugs included for non-sensor applications



1800-1303 (1D18RB) (Black Ceramic Finish) Suits 91-17 FXD/FXDWG Models with Forward Controls 06-17 FXD/FXDWG Models with Mid Controls

- Use a unique extended inner collector to maximize performance
- 4" straight-style performance muffler body with $2^{1/2"} \times 16^{1/2"}$ baffle and black billet end cap with contrasting machined flutes
- Includes full-coverage black heat shields
- O2 sensor port plugs included for non-sensor applications





1800-2135 (1D2SSL) GREG LUTZKA LIMITED EDITION (304 Stainless Steel) Suits 99-17 Dyna Models with Mid Controls 07-17 Dyna Models with Forward Controls

- 2-into-1 stepped equal length 1^{3/4}" to 1^{7/8}" headpipes designed for maximum performance
- Megaphone style muffler
- 409 stainless steel construction
- Hand TIG welded
- Includes O2 sensor port plugs
- Removable baffle and end cap
- Partial heat shield included

(31)



ROAD RAGE III STAINLESS STEEL 2 INTO 1

FIRESWEEP



1800-1955 (1D1SS) (**304 Stainless Steel**) Suits 91-17 FXD/FXDWG Models with Mid Controls 07-17 FXD/FXDWG Models with Forward Controls

- 2-into-1 stepped equal-length headers 1^{3/4} to 1^{7/8} designed for maximum performance
- Utilizes an advanced inner collector for maximum performance
- Stainless steel construction
- Includes O2 ports, plugs and adapters, upper rear heat shield and fit mid-control models only
 Hand TIG welded Better ground clearance and fitment
- Brushed billet end cap included Removable baffle



1800-1163 (13113D) (Show Quality Chrome Finish) Suits 06-17 FXD/FXDWG Models with Forward or Mid Controls

- Features 16-gauge steel construction throughout
- $1^{3/4"}$ headpipes with $2^{1/2"}$ muffler bodies in a chrome finish
- Include mounting bracket and hardware
- Heat shields and non-removable baffles included



1800-2229 (1D3SS) (304 Stainless Steel) Suits 99-17 Dyna Models with Mid Controls 07-17 Dyna Models with Forward Controls

- Custom Exhaust mounting bracket modification may be required
- Stepped equal-length headers $1^{3/4"}$ to $1^{7/8"}$ to 2'' designed for maximum performance
- Hand TIG-welded stainless steel construction
- Short megaphone muffler body
- Brushed aluminum end cap
- Removable baffle



1800-1167 (13123D) (Black Ceramic Finish) Suits 06-17 FXD/FXDWG Models with Forward or Mid Controls

- Features 16-gauge steel construction throughout
- $1^{3/4"}$ headpipes with $2^{1/2"}$ muffler bodies in a black finish
- Include mounting bracket and hardware
- Heat shields and non-removable baffles included

(33)



RADIAL SWEEPER



1800-1611 (1SD1F) (Chrome With Chrome Heat Shields) Suits 06-17 FXD/FXDWG

- Performance stepped headers with radial rear section
- Fabricated from 16-gauge double-wall steel
- Direct bolt-on design for easy installation
- O2 sensor ports and plugs for non-sensor applications included
- Will not fit with OEM air cleaner cover



1800-1612 (1SD1FB) (Black With Black Heat Shields) Suits 06-17 FXD/FXDWG

- Performance stepped headers with radial rear section
- Fabricated from 16-gauge double-wall steel
- Direct bolt-on design for easy installation
- O2 sensor ports and plugs for non-sensor applications included
- Will not fit with OEM air cleaner cover









(35)

1800-1613 (1SD2F) (Black With Chrome Slotted Heat Shields) Suits 06-17 FXD/FXDWG

- Performance stepped headers with radial rear section
- Fabricated from 16-gauge double-wall steel
- Direct bolt-on design for easy installation • O2 sensor ports and plugs for non-sensor applications included
- Will not fit with OEM air cleaner cover

1800-1614 (1SD2FB) (Chrome With Black Slotted Heat Shields) Suits 06-17 FXD/FXDWG

- Performance stepped headers with radial rear section
- Fabricated from 16-gauge double-wall steel
- Direct bolt-on design for easy installation
- O2 sensor ports and plugs for non-sensor applications included
- Will not fit with OEM air cleaner cover

1800-1652 (1SD2FBB) (Black With Black Slotted Heat Shields) Suits 06-17 FXD/FXDWG

- Performance stepped headers with radial rear section
- Fabricated from 16-gauge double-wall steel
- Direct bolt-on design for easy installation
- O2 sensor ports and plugs for non-sensor applications included
- Will not fit with OEM air cleaner cover



ROAD RAGE SHORT 2 INTO 1





1800-2445 (1F42R) (Show Quality Chrome Finish) Suits 2017-up Bagger *Does not fit CVO Models

- Stepped headers merge into a true reverse-cone 4" Megaphone Can muffler
- 1^{3/4} headpipe steps up to 1^{7/8} into the collector to increase flow and improve performance
- 4" Megaphone muffler body with matching billet end cap
- Removable perforated baffle included
- 18mm and 12mm O2 Ports with adaptors and plugs
- Include mounting hardware
- Short Megaphone muffler
- Partial Heat shields included

1800-2447 (1F42SS) (304 Stainless Steel) Suits 2017-up Bagger *Does not fit CVO Models

- Stepped headers merge into a true reverse-cone 4" Megaphone Can muffler
- 1^{3/4}. headpipe steps up to 1^{7/8} into the collector to increase flow and improve performance
- 4" Megaphone muffler body with matching billet end cap
- Removable perforated baffle included
- Hand Tig Welding
- 18mm and 12mm O2 Ports with adaptors and plugs
- Include mounting hardware
- Short Megaphone muffler in brushed finish
- · Partial Heat shields included



1800-2446 (1F42RB) (Black Ceramic Finish) Suits 2017-up Bagger *Does not fit CVO Models

- Stepped headers merge into a true reverse-cone 4" Megaphone Can muffler
- 1^{3/4} headpipe steps up to 1^{7/8} into the collector to increase flow and improve performance
- 4" Megaphone muffler body with matching billet end cap
- Removable perforated baffle included
- 18mm and 12mm O2 Ports with adaptors and plugs
- Include mounting hardware
- Short Megaphone muffler
- Partial Heat shields included

(37)





ROAD RAGE II B4 2 INTO 1



1800-2131 (1F58R) (Show Quality Chrome Finish) Suits 17-UP FLHT/FLHR/FLHX/FLTRX/FLTRU Models

- Feature equal-length headers
- Stepped $1^{3/4"}$ to $1^{7/8"}$ headpipes with heat shields in a chrome finish
- Utilizes an advanced inner collector for maximum performance
- Recommended for engines with up to 120 hp
- Available with a straight muffler



1802-0326 (1F14A) Header Pipes Only (Show Quality Chrome Finish) Suits 09-16 FLHT/FLHR/FLHX/FLTRX

- Accepts Stock Heat Shields
- Feature equal-length 1^{3/4"}-1^{7/8"} stepped headpipes in a chrome finish
- Tapered megaphone style muffler body with 4" black billet end cap with contrasting machined flutes
- Includes full-coverage heat shields
- O2 sensor ports and plugs included
- Includes removable baffle



1800-2132 (1F58RB) (Black Ceramic Finish) Suits 17-UP FLHT/FLHR/FLHX/FLTRX/FLTRU Models

- Feature equal-length headers
- Stepped $1^{3/4"}$ to $1^{7/8"}$ headpipes with heat shields in a black finish
- Utilizes an advanced inner collector for maximum performance
- Recommended for engines with up to 120 hp
- Available with a straight muffler





1802-0379 (1F24A) Header Pipes Only (Show Quality Chrome Finish) Suits 17-UP FLHT/ FLHX/FLHR/FLTRX/FLTRU

- Accepts Stock Heat Shields
- 1^{3/4} diameter tubing with O2 ports for 18mm and 12mm sensors
- Fits under the stock heat shields for the 2017-18 Bagger and utilizes a power chamber for added performance
- Utilizes stock crossover pipe

(39)

2 X 2 DUAL HEADPIPES



• Made to fit with the stock 17-19 Bagger slip-ons or Bassani Xhaust slip-on mufflers

O) LOE,







DNT MUFFLERS ACOUSTICALLY TUNED

DNT MUFFLERS ACOUSTICALLY TUNED



1F72DNTS (Show Quality Chrome Finish) Suits 17-UP FLHT/FLHR/FLTRU/FLTRX

- Feature 16-gauge steel construction throughout
- Specially designed 3-stepped baffle that is acoustically tuned to deliver a unique deep and throaty exhaust sound while providing maximum performance
- 4" Straight can in a chrome finish with a polished slash cut billet end cap







1F72DNTBSB (Black Ceramic Finish) Suits 17-UP FLHT/FLHR/FLTRU/FLTRX

- Feature 16-gauge steel construction throughout
- Specially designed 3-stepped baffle that is acoustically tuned to deliver a unique deep and throaty exhaust sound while providing maximum performance
- 4" Straight can in a black finish with a slash cut billet end cap





1F7DNTS (Show Quality Chrome Finish) Suits 1995-16 FLT/FLHT/FLTR/FLHR

- Feature 16-gauge steel construction throughout
- Specially designed 3-stepped baffle that is acoustically tuned to deliver a unique deep and throaty exhaust sound while providing maximum performance
- 4" Straight can in a chrome finish with a polished slash cut billet end cap



(41

1801-1082 (1F72DNT5) (Chrome with Black end caps) Suits 17-UP FLHT/FLHR/FLTRU/FLTRX

- Feature 16-gauge steel construction throughout
- Specially designed three-stepped baffle that is acoustically tuned to deliver a unique deep and throaty exhaust sound while providing maximum performance
- Include a new-style billet end cap with internal machined flutes
- Sold in pairs

1801-1083 (1F72DNT5B) (Black with Black end caps) Suits 17-UP FLHT/FLHR/FLTRU/FLTRX

- Feature 16-gauge steel construction throughout
- Specially designed three-stepped baffle that is acoustically tuned to deliver a unique deep and throaty exhaust sound while providing maximum performance
- Include a new-style billet end cap with internal machined flutes
- Sold in pairs

1801-1084 (1F72DNT6) (Chrome with Chrome end caps) Suits 17-UP FLHT/FLHR/FLTRU/FLTRX

- Feature 16-gauge steel construction throughout
- Specially designed three-stepped baffle that is acoustically tuned to deliver a unique deep and throaty exhaust sound while providing maximum performance
- Include a new-style billet end cap with internal machined flutes
- Sold in pairs

1801-0822 (1F7DNT6) (Chrome with Chrome end caps) Suits 1995-16 FLT/FLHT/FLTR/FLHR

- Feature 16-gauge steel construction throughout
- Specially designed three-stepped baffle that is acoustically tuned to deliver a unique deep and throaty exhaust sound while providing maximum performance
- 4" Straight can in a chrome finish with a chrome billet end cap with internal machined flutes



MUFFLERS

MUFFLERS



Optional End Cap Shown

1801-1088 (1F742) (Show Quality Chrome Finish) 4" Slip-on Quick Change Mufflers To Suit 17-UP FLHT/FLHR/FLHX/FLTRX/FLTRU

- Mufflers feature 16-gauge steel construction
- Chrome straight can-style muffler bodies
- Choice of optional billet end caps see page 54
- Distinctive aggressive exhaust sound
- Improve power and performance
- Slash cut end caps can be rotated for different looks



Optional End Cap Shown

1801-0542 (1F740) (Show Quality Chrome Finish) 4" Slip-on Quick Change Mufflers To Suit 99-16 FLT/FLHT/FLHX/FLTR/FLHR

- Mufflers feature 16-gauge steel construction
- Chrome straight can-style muffler bodies
- Choice of optional billet end caps see page 54
- Distinctive aggressive exhaust sound
- Improve power and performance
- Slash cut end caps can be rotated for different looks



Optional End Cap Shown

1801-1089 (1F742B) (Black Ceramic Finish) 4" Slip-on Quick Change Mufflers To Suit 17-UP FLHT/FLHR/FLHX/FLTRX/FLTRU

- Mufflers feature 16-gauge steel construction
- Black straight can-style muffler bodies
- Choice of optional billet end caps see page 54
- Distinctive aggressive exhaust sound
- Improve power and performance
- Slash cut end caps can be rotated for different looks



Optional End Cap Shown

1801-0543 (1F740B) (Black Ceramic Finish) Suits 06-17 FXD/FXDWG Models with Forward or Mid Controls

- Mufflers feature 16-gauge steel construction
- Black straight can-style muffler bodies
- Choice of optional billet end caps see page 54
- Distinctive aggressive exhaust sound
- Improve power and performance
- Slash cut end caps can be rotated for different looks

(43)





ROAD RAGE III STAINLESS STEEL 2 INTO 1

ROAD RAGE 2 INTO 1



1800-2069 (1FXRSS) (304 Stainless Steel) Suits 84-94, 99-00 FXR Models with Mid Controls Only

- 2-into-1 stepped equal-length headers 1^{3/4"} to 1^{7/8} designed for maximum performance
- 304 Stainless steel construction
- Hand TIG welded
- Better ground clearance and fitment
- Brushed billet end cap included
- Removable baffle



1800-1596 (1FXR2) (Show Quality Chrome Finish) Suits 84-94, 99-00 FXR Models without floorboards

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- 4" muffler body with billet end cap
- Removable spiral-core louvered baffle included
- Includes mounting hardware
- Short (12") muffler lengths
- Heat shields included



1800-2230 (1FXR2SS) (304 Stainless Steel) Suits 84-94, 99-00 FXR Models with Mid Controls Only

- Stepped equal-length headers $1^{3/4"}$ to $1^{7/8"}$ to 2" designed for maximum performance
- 304 stainless steel construction
- Hand TIG-welded
- Short megaphone muffler body
- Brushed aluminum end cap
- Removable baffle





1800-1597 (1FXR2B) (Black Ceramic Finish) Suits 84-94, 99-00 FXR Models without floorboards

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- 4" muffler body with billet end cap
- Removable spiral-core louvered baffle included
- Includes mounting hardware
- Short (12") muffler lengths
- Heat shields included

(45)



ROAD RAGE 2 INTO 1



1800-1598 (1FXRF) (Show Quality Chrome Finish) Suits 84-94, 99-00 FXR Models with floorboards

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- 4" muffler body with billet end cap
- Removable spiral-core louvered baffle included
- Includes mounting hardware
- Short (12") muffler lengths
- Heat shields included



1800-1599 (1FXRFB) (Black Ceramic Finish) Suits 84-94, 99-00 FXR Models with floorboards

- Stepped headers merge into a true reverse-cone megaphone muffler
- 1^{3/4"} headpipe steps up to 1^{7/8"} into the collector to increase flow and improve performance
- 4" muffler body with billet end cap
- Removable spiral-core louvered baffle included
- Includes mounting hardware
- Short (12") muffler lengths
- Heat shields included

ROAD RAGE II MEGA POWER 2 INTO 1

DESIGNED SPECIFICALLY FOR TUNED MOTORS **BUILT FOR 120+ HIGH-HORSEPOWER APPLICATIONS**



1801-1636 (1X32R) (Show Quality Chrome Finish) Suits 14-UP XL Models

- Mufflers feature 16-gauge steel construction
- Features equal-length 1^{3/4"}-1^{7/8"} stepped headpipes
- Chrome tapered megaphone-style muffler body with 4" black billet end cap with contrasting machined flutes
- Include full-coverage heat shields
 12mm and 18mm O2 sensor port plugs included
- Include removable baffle

DESIGNED SPECIFICALLY FOR TUNED MOTORS **BUILT FOR 120+ HIGH-HORSEPOWER APPLICATIONS**



1801-1637 (1X32RB) (Black Ceramic Finish) Suits 14-UP XL Models

- Mufflers feature 16-gauge steel construction
- Features equal-length 1^{3/4"}-1^{7/8"} stepped headpipes • Black tapered megaphone-style muffler body with 4" black billet end cap with contrasting machined flutes
- Include full-coverage heat shields
- 12mm and 18mm O2 sensor port plugs included
- Include removable baffle

(47)





ROAD RAGE III STAINLESS STEEL 2 INTO 1

MUFFLERS





1800-2104 (1X52SS) (304 Stainless Steel) Suits 14-UP XL Models

- 2-into-1 stepped equal-length headers
- 1^{3/4"} headpipes Utilizes an advanced inner collector for maximum performance
- Stainless steel 304 construction Hand TIG welded
- 18mm O2 ports with 12mm adapters and plugs Better ground clearance and fitment
- Brushed billet end cap included Partial heat shield included Removable baffle

RADIAL SWEEPER



1800-1638 (1X2FB) (Black With Black Heat Shields) Suits 14-UP XL Models

- Stepped 1^{3/4}" to 2" headpipes
- 16-gauge steel construction
- O2 sensor port plugs included for non-sensor applications
- Full coverage heat shields





1800-1639 (1X2FC) (Chrome With Chrome Heat Shields) Suits 14-UP XL Models

- Stepped 1^{3/4}" to 2" headpipes
- 16-gauge steel construction
- O2 sensor port plugs included for non-sensor applications
- Full coverage heat shields



1801-0683 (1X27T) (Chrome With Black Billet End Cap and Contrasting Flutes) **3" Firepower Slip On Mufflers** To Suit 14-UP XL Models



- Improve power and performance
- 2" baffles
- Sold in pairs
- Optional/replacement end caps available separately

1801-0684 (1X27TB) (Black With Black Billet End Cap and Contrasting Flutes) **3" Firepower Slip On Mufflers** To Suit 14-UP XL Models

- Slip-on mufflers feature 16-gauge steel construction
- Improve power and performance
- 2" baffles
- Sold in pairs
- Optional/replacement end caps available separately

1801-0686 (1X27SBB) (Black With Black Billet Slash Cut End Cap) **3" Firepower Slip On Mufflers** To Suit 14-UP XL Models

- Slip-on mufflers feature 16-gauge steel construction
- Improve power and performance
- 2" baffles
- Sold in pairs
- Optional/replacement end caps available separately



ROAD RAGE II B1 POWER 2 INTO 1

DESIGNED SPECIFICALLY FOR TUNED MOTORS BUILT FOR 120+ HIGH-HORSEPOWER APPLICATIONS



- Use a unique extended inner collector to maximize performance
- 4" Chrome straight-style performance muffler body with $2^{1/2"} \times 16^{1/2"}$ baffle
- and black billet end cap with contrasting machined flutes • Include full-coverage heat shields
- O2 sensor port plugs included for non-sensor applications * Will not fit VRSCF with passenger pegs *12-16 models require o2 sensor bung reducers #1861-0784

DESIGNED SPECIFICALLY FOR TUNED MOTORS **BUILT FOR 120+ HIGH-HORSEPOWER** APPLICATIONS

1800-1316 (1V38RB) (Black Ceramic Finish) Suits 07-17 VRSCAW/VRSCDX/VRSCX 09-16 VRSFC

- Use a unique extended inner collector to maximize performance
- 4" Chrome straight-style performance muffler body with $2^{1/2"} \times 16^{1/2"}$ baffle and black billet end cap with contrasting machined flutes
- Include full-coverage heat shields
- O2 sensor port plugs included for non-sensor applications * Will not fit VRSCF with passenger pegs *12-16 models require o2 sensor bung reducers #1861-0784

MUFFLERS

1801-0796 (1V17RSC) Suits 09-16 VRSFC

- 4 in. diameter slip-on mufflers feature 16-gauge steel construction,
- removable flow-through baffles and show-chrome finish • Silver ceramic Coating to match Stock OEM Heat Shields
- Bolt to stock locations with supplied hardware
- Sold in pairs











MUFFLERS



1801-0741 (1527RB) (Black With Black Billet End Cap and Contrasting Flutes) Suits 15-19 XG 500/750 Models

- 4" diameter megaphone slip-on mufflers feature 16-gauge steel construction, removable flow-through baffles
- Bolt to stock locations with supplied hardware
- Sold each



1801-0742 (1587RB) (Black With Black Billet End Cap and Contrasting Flutes) Suits 15-19 XG 500/750 Models

- 4" diameter short straight-can slip-on mufflers feature 16-gauge steel construction, removable flow-through baffles
- Bolt to stock locations with supplied hardware
- Sold each





1861-0746 (BE40R-2) Black billet end cap with flutes

• Optional end cap for Bassani 4" Mufflers



with flutes



1861-0748 (BE40S-2) Polished billet slash end cap

• Optional end cap for Bassani 4" Mufflers



B2012V1 Quiet Baffle	18 0
For Road Rage III Systems	•
B2012W Quiet Baffle	18
For Short Megaphone Mufflers	0
1860-0928 (B2011) Quiet Baffle	•
 For B1 Straight-can Mufflers 	

(53)

1861-0754 (BE40SB-2)

Black billet slash end cap

• Optional end cap for Bassani 4" Mufflers



861-0784 (102P2) D2 Port Bushing Adaptor

Reduce O2 sensor port from 18mm to 12mm 861-0791 (1202P)

O2 Sensor Port Plugs

Allow non-sensor HD models to run newer-style exhaust systems equipped with O2 sensor ports



PART NUMBER CROSS REP

Drag Specialties	Bassani	Page
1800-1154	12113D	23
1800-1158	12123D	23
1800-1163	13113D	34
1800-1167	13123D	34
1800-1280	13112]	29
1800-1281	13122	29
1800-1299	12112	20
1800-1300	12122]	20
1800-1302	1D18R	31
1800-1303	1D18RB	31
1800-1315	1V38R	52
1800-1316	1V38RB	52
1800-1592	1\$32R	21
1800-1592	1532R	21
1800-1595	1552R 1FXR2	46
1800-1596	1FXR2	46
		-
1800-1598	1FXRF	47
1800-1599	1FXRFB	47
1800-1600	1533D	22
1800-1601	1S33DB	22
1800-1611	1SD1F	24, 35
1800-1612	1SD1FB	24, 35
1800-1613	1SD2F	25, 36
1800-1614	1SD2FB	25, 36
1800-1638	1X2FB	49
1800-1639	1X2FC	49
1800-1652	1SD2FBB	25, 36
1800-1742	1S56E-30	27
1800-1743	1S56E-33	27
1800-1744	1S56E-36	28
1800-1955	1D1SS	33
1800-2069	1FXRSS	45
1800-2104	1X52SS	49
1800-2131	1F58R	39
1800-2132	1F58RB	39
1800-2135	1D2SSL	32
1800-2170	1D32RB	30
1800-2171	1D32R	30
1800-2229	1D3SS	33
1800-2230	1FXR2SS	45
1800-2238	1S62SS	2
1800-2239	1S62RB	7
1800-2240	1S62R	7
1800-2242	1S21FB	15
1800-2243	157255	4
1800-2243	157255 1S21F	15
1800-2245	1S72RB	9
1800-2245	1572RB	15
1800-2246	1522FB 1S72R	9
1800-2269	1572R 1534D	9 13
1800-2279	1S34DB	13
1000 2200	10000	
1800-2280 1800-2281	1S93S 1S93SB	16 16

Drag Specialties	Bassani	Page
1800-2308	1S91R	11
1800-2309	1S91RB	11
1800-2333	1S26E-39	28
1800-2357	1S94R	12
1800-2358	1S94RB	12
1800-2359	159455	2
1800-2362	159255	5
1800-2363	159255 1581R	10
1800-2364	1581RB	10
1800-2365	158155	4
1800-2365	1596E-33	17
1800-2377	1S96E-36	17
1800-2378	1S96E-39	17
1800-2410	1S96EB-33	18
1800-2411	1S96EB-36	18
1800-2412	1S96EB-39	18
1800-2431	1S50SS	5
1800-2432	1S35D	14
1800-2433	1S35DB	14
1800-2445	1F42R	38
1800-2446	1F42RB	38
1800-2447	1F42SS	37
1801-0542	1F740	44
1801-0543	1F740B	44
1801-0683	1X27T	50
1801-0684	1X27TB	50
1801-0686	1X27SBB	50
1801-0741	1527RB	53
1801-0742	1587RB	53
1801-0796	1V17RSC	52
1801-0822	1F7DNT6	42
1801-1082	1F72DNT5	42
1801-1083	1F72DNT5B	42
1801-1084	1F72DNT6	42
1801-1088	1F742	43
1801-1089	1F742B	43
1801-1636	1X32R	48
1801-1637	1X32RB	48
1802-0326	1F14A	48
	1F14A 1F24A	
1802-0379		40
1860-0928	B2011	54
1861-0746	BE40R-2	54
1861-0747	BE40T-2	54
1861-0748	BE40S-2	54
1861-0750	BE40J-2	54
1861-0754	BE40SB-2	54
1861-0784	102P2	54
1861-0791	1202P	54
	B2012V1	54
	B2012W	54
	1F7DNTS	41
	1F72DNTBSB	41

BASSANI WARRANTY POLICY

Bassani General Warranty:

To be considered for warranty replacement or repair, at the discretion of Bassani and KPR, all products must be returned, with the Original Proof of Purchase, to KPR Industries via Pre-Paid freight by customer. If you believe you have a defective part please refer to specific line of exhaust below for department information. Digital pictures and Original Receipt are required, to assist in promptness of verification of possible defective items.

Bassani Motorcycle Exhaust Warranty:

Bassani warrants it's Motorcycle products to be free from Manufacturer defects from date of purchase for a period of 1 year only, proof of purchase mandatory. Bassani Motorcycle products are covered under no other warranty, expressed or implied as to merchantability or fitness for a particular use other than mentioned herein.

Chrome: Nickel (Industrial/Polished Chrome) finish on Motorcycle exhaust is warranted until installation and use of product, at which time it is considered to have a limited resistance to rusting, discoloration and peeling.

Black: High temperature ceramic coating on Motorcycle exhaust is warranted for 90 days from date of original purchase, proof provided.

Superficial surface rusting of header coating, especially between tubes, is considered normal and therefore not warranted as a defect in materials and workmanship.

Dealers, can e-mail us first, to help expedite a warranty claim. The claim is subject to Bassani Xhaust's approval.

1. Attach clear photos and concise description of the problem with the e-mail.

2. Attach a copy of the receipt to the end customer, **showing part number and original date of purchase.**

3. If pipes are new and still in packaging **do not install**. Contact us first.

4. Goods are not be returned to KPR Industries without a KPR Return Authority form attached. Contact KPR first.

All approved warranties are to be re-coated or re-chromed. Unless it is brand new NON-fitted stock that, we can possibly re-supply new parts for.

Re-coating time is subject to our vendors time frame that it takes to complete. Still, we will endeavor to get it to them, as soon as possible and back to you as soon as possible. Any replacement warranty parts sent by KPR, ahead of defective products being returned to us, will be charged to the dealer, until the defective goods are returned to KPR. Please contact us for a "Return Authority", so your claim is processed quickly.

Eligibility for warranty consideration shall be verified with corrective action required upon visual inspection of presumed defective product. Bassani and **KPR shall not be responsible** for any incidental or consequential damages including but not limited to, installation labour charges, freight, or loss of use or damage to vehicle or other property, or injury to operator, passengers, or others. Wrapping of Pipe with Heat Tape may adversely affect the pipe & WILL VOID warranty! The high exhaust temperatures found in engines exceeds the capabilities of the chrome plating to handle the heat without discoloration. Bassani does not guarantee the pipes against discoloration or blueing.

****IMPORTANT SUPPLEMENTAL WARRANTY INFORMATION****

SOUND

Bassani Xhaust mufflers, for all product lines, are NOT warranted to produce or cancel any particular tone, note or resonance. As sound preference is purely subjective, Bassani Xhaust recommends you conduct thorough research prior to making a purchase.

Voided Warranty

Any modification to an original "As Shipped" Bassani product shall VOID it's warranty. Any deviation from the original intended installation of a Bassani product shall also render the warranty VOID.





Visit kpr-ind.com.au for more models and styles 07 3162 0077 | sales@kpr-ind.com.au

